




Garden Trellis

*An Advanced Beginner
or Intermediate
Quilter's level project*

*A quilt pattern
created by
Brenda Marie
One Loose Thread*

One Loose Thread

Intro

This has been a fun quilt to design and sew. The focus here was on colour, infact shades of the same colour.

The pattern is essentially a log cabin, but the corners have been snowballed and the blocks rotated to give a secondary effect.

I had lots of fun choosing the colours! I hope you do too.



*Cheers and regards
Brenda Marie*

PLEASE NOTE :

I write my cutting and sewing instructions using a 1/2" allowance for your 1/4" seams.


"Finished block measurements" means the block size in the finished quilt. "Unfinished" or "cut" size means the size of the block before you sew - which will have your seams allowances included.

Therefore a "finished block" size of 4" will be "unfinished" or "cut" size of 4.5". It is the most important thing to remember!

Hints and Tips

- All seams are sewn at 1/4".
- All seams are pressed open.
- "Nesting" means aligning your seams to match at any joins.
- WOF means Width of Fabric and is assumed to be 40" minimum.
- Be mindful of fabric stretch, especially when pressing. If it is an issue, spray starch helps.
- The measurements will be written in inches. I will show both inches/yards and centimetres/metres when looking at overall fabric requirements.
- A new blade in your rotary cutter is always recommended at the start of a major project.

One Loose Thread



Quilt size : 56" x 56"

Fabric Requirements	
	Meterage
Fabric A	.25
Fabric B	.25
Fabric C	.4
Fabric D	.4
Fabric E	.5
Fabric F	.5
Fabric G	.75
Contrast and border (black)	1.5




One Loose Thread

Technique - Snowballing corners


ALL SEAM ALLOWANCES ARE 1/4"

Place contrast 2.5" square,
right sides facing onto the top
corner of the block.


Sew a diagonal line, top left to
bottom right.



Trim corner



Fold open and press.
Repeat for other corner



One Loose Thread

The Block - 8" finished

Make 36 in total



Cutting

Cut your fabric into strips and then sub cut into the required lengths in the chart below.

	2 1/2" strip	Subcut	Need
Fabric A	3	2 1/2" x 2 1/2"	36
Fabric B	3	2 1/2" x 2 1/2"	36
Fabric C	5	2 1/2" x 4 1/2"	36
Fabric D	5	2 1/2" x 4 1/2"	36
Fabric E	6	2 1/2" x 6 1/2"	36
Fabric F	9	2 1/2" x 6 1/2"	36
Fabric G	9	2 1/2" x 8 1/2"	36
Contrast (Black)	7	2 1/2" x 2 1/2"	144
Contrast (Black)	7 strips of 4 1/2" x WOF for the border		


One Loose Thread

Construct the Block

Make 36 in total


Step 1

Sew Fabric A and B together, then add C




Step 2

Snowball the corners of B and C




Step 3

Add Fabrics D, E, F, G



Step 4

Snowball the corners of F and G



One Loose Thread

Constructing the Quilt

Step 1

Join two blocks together (top)




Step 2

Join two blocks together (bottom)




Step 3

Join both sections together



Step 4


Join all the blocks together, 3 across and 3 down



One Loose Thread

Step 5

Add the border



*The quilt top is complete!
Quilt and enjoy*

Finishing the Quilt

You will need Backing Fabric, Batting/Wadding and Binding to finish the quilt.

Both the backing fabric and wadding measurements must exceed 56" x 56" which roughly equates to 2.5m of wide back and the same of wadding.

However, it will also depend on what machine you are quilting on - computerised longarm machines may have different requirements - please check first before buying and cutting.

Binding:

To calculate the binding required

Add together the length (56") and the width (56") = equals 112".

Multiply this by 2 = 224".

Divide by the width of the binding fabric (minus selvage) say 40" = 5.6

Round up to nearest whole number = 6.

You will need 6 strips of 2.5" fabric to create the binding (15" or .4m)

One Loose Thread

